## Amendments to the Claims

- 1. (Original) An immunopotentiator for mammals, which comprises as an active ingredient a nucleic acid containing a special nucleic acid base, a derivative thereof or a plasmid having the nucleic acid containing the special nucleic acid base.
- 2. (Original) The immunopotentiator as claimed in claim 1, wherein the special nucleic acid base is at least one selected from the group consisting of 8-oxoguanine, 8-oxoadenine, 2-oxoadenine, 5-hydroxyuracil, 5-formyluracil, 5-formylcytosine, 8-nitroguanine, thymine glycol, cytosine glycol, hypoxanthine, oxanine, pyrimidine dimmer, O<sup>6</sup>-methylguanine and O<sup>4</sup>-methylthymine.
- 3. (Original) The immunopotentiator as claimed in claim 1, wherein the special nucleic acid base is a microbial nucleic acid-specific modified base.
- 4. (Original) The immunopotentiator as claimed in claim 3, wherein the microbial nucleic acid-specific modified base is at least one selected from the group consisting of N<sup>6</sup>-methyladenine, 5-hydroxymethyluracil and 5-hydroxymethyluracine.
- 5. (Original) The immunopotentiator as claimed in claim 3, wherein the nucleic acid containing the microbial nucleic acid-specific modified base is a nucleic acid having a base sequence of SEQ ID NO: 4.
- 6. (Currently amended) The immunopotentiator as claimed in any of claims 1 to 5 claim 1, which further comprises as an active ingredient a nucleic acid containing a microbial nucleic acid-specific non-methylated CpG sequence or a plasmid having the nucleic acid containing the microbial nucleic acid-specific non-methylated CpG sequence.

- 7. (Original) The immunopotentiator as claimed in claim 6, wherein the nucleic acid containing the microbial nucleic acid-specific non-methylated CpG sequence is a nucleic acid having the base sequence of SEQ ID NO: 2.
- 8. (Currently amended) The immunopotentiator as claimed in any of claims 3 to 7 claim 3, wherein the microbe is a virus or a bacterium.
- 9. (Original) The immunopotentiator as claimed in claim 8, wherein the bacterium is Escherichia coli.
- 10. (Currently amended) A process for producing an inflammatory cytokine, which comprises administering the immunopotentiator as claimed in any of claims 1 to 9 claim 1 to cultured cells to enhance an immunoactivity of the cultured cells and produce the inflammatory cytokine.
- 11. (Currently amended) A process for producing an inflammatory cytokine, which comprises simultaneously administering to cultured cells the immunopotentiator as claimed in any of claims 1, 2, 3, 4, 5, 8 and 9 claim 1 together with a composition comprising as an active ingredient a nucleic acid containing a microbial nucleic acid-specific non-methylated CpG sequence or a plasmid having the nucleic acid containing the microbial nucleic acid-specific non-methylated CpG sequence to further enhance an immunoactivity and produce the inflammatory cytokine.
- 12. (Currently amended) Cultured cells producing an inflammatory cytokine, to which the immunopotentiator as claimed in any of claims 1 to 9 claim 1 is administered to enhance an immunoactivity.
- 13. (Currently amended) Cultured cells producing an inflammatory cytokine, to which the immunopotentiator as claimed in any of claims 1, 2, 3, 4, 5, 8 and 9 claim 1 together with a composition comprising as an active ingredient a nucleic acid containing a microbial nucleic acid-specific non-methylated CpG sequence or a plasmid having the

nucleic acid containing the microbial nucleic acid-specific non-methylated CpG sequence are simultaneously administered to further enhance an immunoactivity.

- 14. (Currently amended) The cultured cells as claimed in claim 12 or 13, which are derived from mammals including humans.
- 15. (Currently amended) A method for enhancing an immunoactivity of mammals, which comprises administering to mammals the immunopotentiator as claimed in any of claims 1 to 9 claim 1 to enhance an immunoactivity of mammals.
- 16. (Currently amended) A method for enhancing an immunoactivity of mammals, which comprises simultaneously administering to mammals the immunopotentiator as claimed in any of claims 1, 2, 3, 4, 5, 8 and 9 claim 1 together with a composition comprising as an active ingredient a nucleic acid containing a microbial nucleic acid-specific non-methylated CpG sequence or a plasmid having the nucleic acid containing the microbial nucleic acid-specific non-methylated CpG sequence to further enhance an immunoactivity of mammals.
- 17. (Currently amended) Non-human mammals to which the immunopotentiator as claimed in any of claims 1 to 9 claim 1 is administered to enhance an immunoactivity.
- 18. (Currently amended) Non-human mammals to which the immunopotentiator as claimed in any of claims 1, 2, 3, 4, 5, 8 and 9 claim 1 together with a composition comprising as an active ingredient a nucleic acid containing a microbial nucleic acid-specific non-methylated CpG sequence or a plasmid having the nucleic acid containing the microbial nucleic acid-specific non-methylated CpG sequence are simultaneously administered to further enhance an immunoactivity.
- 19. (Currently amended) The non-human mammals as claimed in claim 17 or 18, which are mice.